API Response Manual

Data Section: 1.1

Name: data

Full Path: apiResponse.data
Type: String Value

Is Required?: Yes
Minimum Length: 8
Maximum Length: 20

JSON Reference Data: https://borderconnect.com/data/data-types.json

#### Sample JSON:

"data": "API\_RESPONSE"

- Used to indicate the type of data the JSON file contains. e.g., for an API Response the data field should be "API\_RESPONSE"
- A list of acceptable data types can be found here: http://borderconnect.com/borderconnect/data/data-types.json

Send ID Section: 1.2

Name: sendId

Full Path: apiResponse.sendId

Type: String Value

Is Required?: No Minimum Length: 1 Maximum Length: 68

#### Sample JSON:

"sendId": "001"

### Description:

- Unique ID assigned by the software integrating with BorderConnect, quoted back to help the original sender identify what the response pertains to.

Company Key Section: 1.3

Name: companyKey

Full Path: apiResponse.companyKey

Type: String Value

Is Required?:

Minimum Length:

1

Maximum Length:

30

#### Sample JSON:

"companyKey": "3bbdee0e824637155cc4217bdab70d2e"

## Description:

- Used when connected as a service provider to identify which company account the API Response pertains to. Will exactly match company key for the account.

Status Section: 1.4

Name: status

Full Path: apiResponse.status
Type: String Value

Is Required?: Yes
Minimum Length: 1
Maximum Length: 20

JSON Reference Data: https://borderconnect.com/data/api-response-status-types.json

#### Sample JSON:

"status": "IMPORTED"

- Indicates the results of your JSON file upload.
- "QUEUED" means that your JSON file has been queued for processing in BorderConnect.
- "IMPORTED" means that your eManifest data has been imported successfully without error.
- "TRANSMITTED" means the your Send Request was processed successfully without error.
- An error status will be returned to indicate a problem with either the file you uploaded, or the business logic of the situation in which you uploaded it.
- For a complete list of statuses, click here: http://www.borderconnect.com/borderconnect/data/api-response-status-types.json

Message Section: 1.5

Name: message

Full Path: apiResponse.message

Type: String Value

Is Required?: Yes
Minimum Length: 1
Maximum Length: 100

### Sample JSON:

"message": "1 ACI Trip [123439434] successfully imported."

### Description:

- Plain text description elaborating on the information conveyed by Status.

Errors Section: 1.6

Name: errors

Full Path: apiResponse.errors
Type: Array<JsonObject>

Is Required?: No
Minimum Items (of elements in array): 0
Maximum Items (of elements in array): 99999

#### Sample JSON:

### Description:

- Lists of errors that are the cause of an error Status.

Error Section: 1.6.1

Name: error

Full Path: apiResponse.errors.error

Type: Object Is Required?: No

### Sample JSON:

```
"identifier": "123439434",
"note": "Invalid ID",
"canBeCondensed": false
```

- Used to convey information as to the cause of the error.
- See indivdual field elements below.

Error Identifier Section: 1.6.1.1

Name: identifier

Full Path: apiResponse.errors.error.identifier

Type: String Value

Is Required?:YesMinimum Length:1Maximum Length:50

### Sample JSON:

"identifier": "123439434"

## Description:

- Specifies the value or field that is the cause of the error.

Error Note Section: 1.6.1.2

Name: note

Full Path: apiResponse.errors.error.note

Type: String Value

Is Required?:YesMinimum Length:1Maximum Length:500

### Sample JSON:

"note": "Invalid ID"

## Description:

- Plain text description of the error.

Section: 1.6.1.3

Name: canBeCondensed

Full Path: apiResponse.errors.error.canBeCondensed

Type: Boolean Value

Is Required?: Yes

### Sample JSON:

"canBeCondensed": false

Date Time Section: 1.7

Name: dateTime

Full Path: apiResponse.dateTime

Type: String Value

Is Required?: Yes
Minimum Length: 19
Maximum Length: 19

### Sample JSON:

"dateTime": "2014-01-01 17:33:12"

### Description:

- The date and time at which the processing occurred in BorderConnect to generate the API Response.

Trip Count Section: 1.8

Name: tripCount

Full Path: apiResponse.tripCount

Type: Numeric Value

Is Required?: No

### Sample JSON:

"tripCount": 1

## Description:

- Indicates the number of ACE or ACI Trips imported. Only applies to ACE or ACI eManifest uploads.

Shipment Count Section: 1.9

Name: shipmentCount

Full Path: apiResponse.shipmentCount

Type: Numeric Value

Is Required?: No

### Sample JSON:

"shipmentCount": 0

## Description:

- Indicates the number of ACE or ACI shipments imported. Only applies to ACE or ACI eManifest uploads.

Trip Number Section: 1.10

Name: tripNumber

Full Path: apiResponse.tripNumber

Type: String Value

Is Required?:

Minimum Length:

8

Maximum Length:

25

#### Sample JSON:

"tripNumber": "123439434"

### Description:

- The trip number of the manifest that is applicable to the API Response.

Name: shipmentControlNumber

Full Path: apiResponse.shipmentControlNumber

No

Type: String Value

Is Required?:
Minimum Length:

Minimum Length: Maximum Length:

### Sample JSON:

"shipmentControlNumber": "TEST1000"

Name: cargoControlNumber

Full Path: api Response. cargo Control Number

No

Type: String Value

Is Required?: Minimum Length:

Maximum Length:

### Sample JSON:

"cargoControlNumber": "1234PARS9454"

Name: inBondEntryNumber

Full Path: apiResponse.inBondEntryNumber

No

Type: String Value

Is Required?: Minimum Length: Maximum Length:

Sample JSON:

"inBondEntryNumber": "123456789"

Name: pdfDocumentType

Full Path: apiResponse.pdfDocumentType

Type: String Value

Is Required?: No

Minimum Length: Maximum Length:

### Sample JSON:

"pdfDocumentType": "ACE\_DETAILED\_DRIVERS\_COPY"

Name: pdfDocumentAction

Full Path: apiResponse.pdfDocumentAction

No

Type: String Value

Is Required?: Minimum Length: Maximum Length:

Sample JSON:

"pdfDocumentAction": "FAX"

### Active Connections Section: 1.16

Name: activeConnections

Full Path: apiResponse.activeConnections

Type: Numeric Value

Is Required?: No

### Sample JSON:

"activeConnections": 2

- Only received as part of API Response confirming your connection has been authenticated.
- Specifies the number of active connections for that API Key.

Name: trucks

Full Path: apiResponse.trucks
Type: Array<JsonObject>

Is Required?: No

## Sample JSON:

Section: 1.17.1

Name: truck

Full Path: apiResponse.trucks.truck

Type: Object Is Required?: No

### Sample JSON:

```
{
  "number": "TRUCK1",
  "type": null,
  "vinNumber": null,
  "id": 0
}
```

Name: drivers

Full Path: apiResponse.drivers
Type: Array<JsonObject>

Is Required?: No

### Sample JSON:

Section: 1.18.1

Name: driver

Full Path: apiResponse.drivers.driver

Type: Object Is Required?: No

### Sample JSON:

```
{
    "firstName": "John",
    "lastName": "Doe",
    "id": 0
```

Name: trailers

Full Path: apiResponse.trailers
Type: Array<JsonObject>

Is Required?: No

### Sample JSON:

Section: 1.19.1

Name: trailer

Full Path: apiResponse.trailer

Type: Object Is Required?: No

### Sample JSON:

```
{
    "number": "TRAILER1",
    "type": null,
    "id": 0
}
```